# CEX SERIES

### **High Pressure Hose Down LED Exit**

- Non-Metallic
- UL 924 Emergency Lighting
- Heavy Hose Down




## **CEX SERIES**

#### **High Pressure Hose Down LED Exit**



- Water resistant
- Suitable for high pressure hose down
- Non-metallic water shield
- Available with battery back-up
- · External stainless steel hardware
- Suitable for indoor or outdoor
- · Low profile
- · Enclosed and gasketed
- Operating temperature 0°C-40°C
- · Acrylic Lens
- Polycarbonate end caps

#### **Catalog Number Logic**



- 1 BASIC SERIES
  - CEX = Composite Exit Sign
- LAMP SOURCE
  L = LED-Light Emitting Diode
- NUMBER OF FACES

  1 = Single Face
  2 = Double Face
- LETTER COLOR
  R = Red
  G = Green

- HOUSING COLOR
  W = White
- 6 VOLTAGE A = 120 V 60HZ
- C = 277 V 60HZ

#### OPTIONS1

EM = Emergency Battery Backup VR = Vandal Resistant Hardware

<sup>1</sup>Consult factory for pricing.

Catalog logic is for explaining catalog number structure only. Not all combinations are possible; consult factory for catalog numbers not listed in charts.




## **CEX Series**

Non-Metallic ● High Pressure Hose Down ● Enclosed & Gasketed ● Wet Locations


#### (Lamps included)

Lamp Type	Face	Wattage	Voltage	Catalog Number	Shipping Weight (Lbs.)
LED	Single Single	1.8W 1.8W	120-277V 60HZ	CEX-L-1-R-W-12 CEX-L-1-R-W-27	7.1 7.1
LED	Double Double	3.6W 3.6W	120 277 V 00112	CEX-L-1-R-W-12	6.9 6.9
Dallana Bask Ha	Single Single	1.8W 1.8W	120-277V 60HZ		8.5 8.5
Battery Back-Up	Double Double	3.6W 3.6W	120-211V 00HZ		8.0 8.0


#### Fixture Dimensions (inches)



#### **Accessories**



Standard Mounting Kit
(1) Set Included Catalog Number: FFPXDMKT
Shipping Weight: 1.0 lbs.
Included with Fixture




Wall Mounting Kit (Optional) Catalog Number: CEXWMKT Shipping Weight: 1.75 lbs.

### **CEX Series**

Non-Metallic ● High Pressure Hose Down ● Enclosed & Gasketed ● Wet Locations

## Parts List CATALOG NUMBER CEX-L-1-R-W-12-XX



Part No.	Description	Weight
10072	CABLE	0.24
12058	CORD GRIP	0.03
28186	HEX NUT SS	0.03
28225	WASHER FLAT SS	0.01
28246	WASHER SPLIT LOCK SS	0.01
28369	ALL THREAD BAR SS	0.16
34039	GSKT NEOPRENE CLOSED CELL	0.01
34101	GASKET NEOPRENE CORD CELL	0.01
34103	GASKET MOUNTING BOLTS	0.01
47751	FXTR EXIT INCAND. DOUB. FACE 120V	4.08
59019	OVAL TUBE CLEAR	1.13
59020	END CAP EXIT ELECTRICAL END	0.57
59021	END CAP EXIT NON-ELECTRICAL END	0.58