
# RL SERIES

#### Flexible-Arm Ramp Lighting for Loading Docks


- UL 1598
- CUL
- Suitable for Damp Locations





# **RL SERIES**

#### Flexible-Arm Ramp Lighting for Loading Docks



#### Lamps:

Fixtures are designed to accept 150 or 300 Watt, R-40 or Par 38 reflector type medium screw lamps (spot-type lamps should be used).

#### Flexible-Arm:

Wrist-action joint allows up to 52 in. vertical adjustment at the touch of a hand. Outer arm can be swung 300° horizontally and 240° vertically, providing for virtually every conceivable truck and trailer height or position. Friction-grip washers at all joints make sure the light stays as positioned.


Flexible-arm construction extends the life of the fixture. If struck from the front, rear or side, the fixture swings out of the way. If struck from above or below, it will pivot up or down to shrug off the blow, which makes it nearly impossible to damage the fixture under normal conditions.



#### HIGH PRESSURE SODIUM • INCANDESCENT

### **RL Series**

Incandescent or HPS ● Steel Construction ● Baked Acrylic Finish ● UL 1598 ● CUL ● Suitable for Damp Locations



(Lamps not included)

RL Series	Lamp Type	Description	Catalog Number	Shipping Weight (Lbs.)
	Incandescent	Dual Arm 42" reach up to 32" Vertical Adjustment (Lamp not included)	RL2-300-42	17.0
	Incandescent	Dual Arm 62" reach up to 52" Vertical Adjustment (Lamp not included)	RL2-300-62	19.0
Vai	Incandescent	Single Arm 24" reach (Lamp not included)	RL1-300-24	12.0
	High Pressure Sodium	Dual Arm 42" reach up to 32" Vertical Adjustment (Lamp not included)	RL2-50S-42	17.0
	High Pressure Sodium	Dual Arm 62" reach up to 52" Vertical Adjustment (Lamp not included)	RL2-50S-62	19.0


Fixtures are suitable for 120V 60HZ operation only.

Optional wire guard available, contact factory for information and pricing.

#### **RL Series**

Incandescent or HPS ● Steel Construction ● Baked Acrylic Finish ● UL 1598 ● CUL ● Suitable for Damp Locations

#### **Parts List CATALOG NUMBER RL2-300-62**



- Note: 1. Above drawing and part numbers are for fixture catalog no. RL2-300-62.
  - 2. Parts may vary for other models. Contact factory if parts for other models are required.
  - 3. Ballasts and lamps are listed on separate pages.



#### HIGH PRESSURE SODIUM • INCANDESCENT

## **RL Series**

Incandescent or HPS ● Steel Construction ● Baked Acrylic Finish ● UL 1598 ● CUL ● Suitable for Damp Locations

#### **Parts List**

Part No.	Description	Weight
06014	HSG LAMP RL SERIES	0.7
10031	CABLE	0.1
12143	BUSHING STRAN RELIEF	0.1
26564P	PLATE SWITCH RL SERIES	0.1
26565	YOKE HINGE 42" & 60" RL	0.4
26568P	BRKT ARM WALL 42" RL	3.0
26569P	BRKT ARM HEAD 42" RL	1.6
26571	TRUNNION HEAD RL SERIES	0.8
26572P	BRKT Z STOP RL SERIES	0.1
26573	BRKT WALL RL SERIES	1.3
26574	END CAP ARM RL SERIES	0.1
26575	BRKT LPHLDR RL W/PIN	0.2
28164	SCREW PAN	0.1
28184	NUT HEX	0.1
28221	WASHER FLAT	0.1
28242	WASHER SPLIT LOCK	0.1
28278	PUSH NUT	0.1
28313	BUSHING BRONZE	0.1
28351	WASHER BELVE	0.1
28352	NUT HEX NYLON INSERT	0.1
28353	SCREW CARRIAGE	0.1
28354	WASHER BELVE	0.1
28355	WASHER FLAT	0.1
28356	NUT HEX NYLON INSERT	0.1
28357	SPRING PL	0.1
28358	NUT COMP CAP	0.1
28359	SCREW CARRIAGE	0.4
28360	SCREW PAN THDFORM	0.1
28361	WASHER STAR INTL	0.1
28362	WASHER STAR EXTRNL	0.1

Part No.	Description	Weight
28363	SCREW CARRIAGE	0.1
28364	SCREW HEX	0.2
28368	PIN SLFCLINCH	0.1
28391	WASHER STAR INTL & EXT	0.1
34010	GSKT HINGE RL SERIES	0.1
58023	SPACER WALL BKT RL SERI	0.1
58024	SPACER ARM HINGE RL SER	0.1
70055	LPHLDR INC SNAPIN POR M	0.2
76002	SWITCH ROCKER SNAPIN 24	0.1
84008	LUG FRK INS 18-14AWG #1	0.1
84037	LUG DISC INS 90 FLAG 18	0.1
84076	CORDSET 12FT 18/3 SJT 6	0.8
84130	LUG RNG N/INS 22-16AWG	0.1

www.rigalite.com

#### NOTES

