
RML SERIES

Marine Inside-Type Mirror Light


- UL 1598A Marine Inside Type
- Wall Mount
- Compact Fluorescent Lamps





RML SERIES

Marine Inside-Type Mirror Light




- UL 1598A Marine Inside Type
- Welded copper free aluminum housing
- Powder coated baked-on white polyester finish
- Neoprene closed cell gasket
- All exposed hardware and inserts constructed of brass
- Heavy duty prismatic acrylic lens
- Wall mount

FLUORESCENT

RML Series

1598A Marine Inside Type ● Mirror Light ● Welded Aluminum ● Prismatic Acrylic Lens

Catalog Number Logic



- BASIC SERIES
 RML Series Mirror Light
 UL 1598A Marine Inside Type
- NUMBER OF LAMPS
 2 = 2 Lamps
- 3 LAMP CURRENT/LAMP WATTAGE 18 = 18 Watts 26 = 26 Watts
- 4) VOLTAGE/FREQUENCY
 - A = 120V 60HZ B = 236V 60HZ D = 220V 50HZ
- OPTIONS¹
 LCO = Less Convenience Outlet

¹Consult factory for pricing.

Catalog logic is for explaining catalog number structure only. Not all combinations are possible; consult factory for catalog numbers not listed in charts.

www.rigalite.com 287

FLUORESCENT

RML Series

1598A Marine Inside Type • Mirror Light • Welded Aluminum • Prismatic Acrylic Lens




- Welded copper free aluminum housing
- Baked-on powder coated polyster finish
- Prismatic acrylic lens
- Two pole 250V rocker switch
- Two 18 watt pl lamps, 26 watt also available
- Universal voltage electronic ballast standard
- Fixture without receptacle standard
- Stainless steel external hardware
- Internal visor/lamp shield


(Lamps are included)

No. of Lamps	Lamp Type	Voltage	Catalog Number
2	18 Watt, PL Lamp	120V 60HZ	RML-2-18-A-LCO
	18 Watt, PL Lamp	236V 60HZ	RML-2-18-B-LCO
	18 Watt. PL Lamp	220V 50HZ	RML-2-18-D-LCO

Fixture Dimensions (inches)







Ø0.250 MTG HOLES TYP. 2 PLCS.