


# SWP SERIES

## Wet Location and General Duty Wall Pack

- UL 1598 Wet Locations
- Enclosed & Gasketed
- CUL



**AZZ** | R-A-L™  
**RIG-A-LITE**

S  
W  
P

# SWP SERIES

## Wet Location and General Duty Wall Pack



- UL 1598 Wet Locations
- Die cast aluminum housing
- Hinged refractor frame
- Continuous silicone rubber gasket
- Bronze enamel finish
- Polycarbonate refractor std for SWP1 series
- Heat resistant borosilicate glass refractor for SWP2, SWP3 and SWP4

**SWP Series**

UL 1598 Wet Locations • Die Cast Aluminum • Hinged Door • Silicone Gasket • CUL

**Catalog Number Logic****SWP1 03-S-R-12-XX****1****2****3****4****5****6****1****BASIC SERIES**

SWP Wet Location Wall Pack

SWP1 = 35 - 100W HPS Medium

Base

70 - 100W MH Medium

Base

SWP2 = 70 - 150W HPS Medium

Base

150W HPS Medium Base

70 - 150W MH Medium

Base

175 W MH Medium Base

SWP3 = 250W HPS, MH &amp; Mogul

Base

SWP4 = 400W HPS, MH &  
Mogul Base**2****LAMP CURRENT/LAMP WATTAGE**

03 = 35 Watt

05 = 50 Watt

07 = 70 Watt

10 = 100 Watt

15 = 150 Watt

17 = 175 Watt

25 = 250 Watt

40 = 400 Watt

**3****LAMP TYPE**

S = High Pressure Sodium

H = Metal Halide

**4****BALLAST TYPE**R = Reactance, Normal Power  
Factor (R)H = High Reactance, High Power  
FactorC = Constant Wattage  
Autotransformer High Power  
Factor (CWA-HPF)**5****BALLAST VOLTAGE**

04 = Multi-Tap

12 = 120V 60HZ

20 = 208V 60HZ

22 = 220/240V 50HZ

24 = 24V 60HZ

27 = 277V 60HZ

48 = 480 Volt 60HZ

**6****OPTIONS<sup>1</sup>**PC = Photo Control for Automatic Dusk to Dawn  
(120 Volt Only)

F = Single Fusing (120 &amp; 277V)

DF = Double Fusing  
(208V, 240V, 280V 60HZ  
& 220/240V 50HZ)

TP = Tamper Proof Screws

FB = Fuse Block

PR = Polycarbonate Refractors<sup>2</sup>

PS = Pulse Start

<sup>1</sup> Consult factory for pricing.<sup>2</sup> Standard for SWP1 Series, not available with SWP2, SWP3  
and SWP4 Series.


Catalog logic is for explaining catalog number structure only. Not all combinations are possible; consult factory for catalog numbers not listed in charts.

# HIGH PRESSURE SODIUM • METAL HALIDE

## SWP Series

UL 1598 Wet Locations • Die Cast Aluminum • Hinged Door • Silicone Gasket • CUL

(Lamps included)


| Basic Series                                                                                       | Lamp Source | Lamp Base | Watt | Ballast Type | Voltage   | Catalog Number    |
|----------------------------------------------------------------------------------------------------|-------------|-----------|------|--------------|-----------|-------------------|
| <b>SWP1</b><br>   | HPS         | Medium    | 35   | Reactor      | 120V      | SWP1-03-S-R-12*   |
|                                                                                                    |             | Medium    | 50   | Reactor      | 120V      | SWP1-05-S-R-12*   |
|                                                                                                    |             | Medium    | 70   | Reactor      | 120V      | SWP1-07-S-R-12*   |
|                                                                                                    |             | Medium    | 100  | Reactor      | 120V      | SWP1-10-S-R-12*   |
|                                                                                                    | MH          | Medium    | 70   | HX           | 120V      | SWP1-07-H-R-12*   |
|                                                                                                    |             | Medium    | 100  | HX           | 277V      | SWP1-10-H-H-27*   |
| <b>SWP2</b><br> | HPS         | Medium    | 70   | HX           | 120V      | SWP2-07-S-H-12    |
|                                                                                                    |             | Medium    | 100  | HX           | 120V      | SWP2-10-S-H-12    |
|                                                                                                    |             | Medium    | 100  | Reactor      | 120V      | SWP2-10-S-R-12    |
|                                                                                                    |             | Medium    | 150  | Reactor      | 120V      | SWP2-15-S-R-12    |
|                                                                                                    |             | Medium    | 150  | HX           | 120V      | SWP2-15-S-H-12    |
|                                                                                                    |             | Medium    | 150  | CWA          | Multi-Tap | SWP2-15-S-C-04    |
|                                                                                                    | MH          | Medium    | 70   | HX           | 120V      | SWP2-07-H-H-12    |
|                                                                                                    |             | Medium    | 100  | HX           | 120V      | SWP2-10-H-H-12    |
|                                                                                                    |             | Medium    | 150  | HX           | 120V      | SWP2-15-H-H-12    |
|                                                                                                    |             | Medium    | *175 | CWA          | Multi-Tap | SWP2-17-H-C-04-PS |
| <b>SWP3</b><br> | HPS         | Mogul     | 250  | CWA          | Multi-Tap | SWP3-25-S-C-04    |
|                                                                                                    | MH          | Mogul     | 250  | CWA          | Multi-Tap | SWP3-25-H-C-04-PS |
| <b>SWP4</b><br> | HPS         | Mogul     | 400  | CWA          | Multi-Tap | SWP4-40-S-C-04    |
|                                                                                                    | MH          | Mogul     | 400  | CWA          | Multi-Tap | SWP4-40-H-C-04-PS |

\*120V only. Not available in 277V.


## SWP Series

UL 1598 Wet Locations • Die Cast Aluminum • Hinged Door • Silicone Gasket • CUL


### Fixture Dimensions (inches)




**SWP1 Series**



**SWP2 Series**



**SWP3 Series**



**SWP4 Series**

### Accessories

|                                                     |         |
|-----------------------------------------------------|---------|
| Stainless Steel Wire Guard for SWP2 Series          | SWP2WG  |
| Stainless Steel Wire Guard for SWP3 and SWP4 Series | SWP34WG |
| Clear Polycarbonate Shield for SWP2 Series          | SWP2PS  |
| Clear Polycarbonate Shield for SWP3 and SWP4 Series | SWP34PS |

HIGH PRESSURE SODIUM • METAL HALIDE

## SWP Series

UL 1598 Wet Locations • Die Cast Aluminum • Hinged Door • Silicone Gasket • CUL

### Parts List



| Part No. | Description                                   | Weight |
|----------|-----------------------------------------------|--------|
| 36086    | LENS POLYCARBONATE FOR SWP1                   | 1.5    |
| 36087    | SHIELD POLYCARBONATE FOR SWP2 (100W HPS MAX.) | 2.0    |
| 36090    | LENS GLASS FOR SWP2                           | 4.0    |
| 36089    | LENS GLASS FOR SWP2 & SWP4                    | 5.0    |
| 70054    | LPHLDR PORCLN MEDIUM BASE 4KV                 | .35    |
| 70043    | LPHLDR PORCLN MOGUL BASE 4KV                  | .42    |